野間 英孝　研究業績・原著

[1] Funatsu H, Yamashita H, Noma H, Shimizu E, Yamashita T, Hori S:
Stimulation and inhibition of angiogenesis in diabetic retinopathy.
Jpn J Ophthalmol 45(6): 577-584, 2001

[2] Fukushima H, Kato S, Kaiya T, Yuguchi T, Ohara K, Noma H, Konno Y, Kameyama K, Oshika T:
Effect of subconjunctival steroid injection on intraocular inflammation and blood glucose level after cataract surgery in diabetic patients.
J Cataract Refract Surg 27(9): 1386-1391, 2001

[3] Funatsu H, Yamashita H, Noma H, Mimura T, Yamashita T, Hori S:
Increased levels of vascular endothelial growth factor and interleukin-6 in the aqueous humor of diabetics with macular edema.
Am J Ophthalmol 133(1): 70-77, 2002

[4] Noma H, Funatsu H, Yamashita H, Kitano S, Mishima HK, Hori S:
Regulation of Angiogenesis in Diabetic Retinopathy: Possible Balance Between Vascular Endothelial Growth Factor and Endostatin.
Arch Ophthalmol 120(8): 1075-1080, 2002

[5] Funatsu H, Yamashita H, Noma H, Shimizu E, Mimura T, Hori S:
Prediction of macular edema exacerbation after phacoemulsification in patients with nonproliferative diabetic retinopathy.
J Cataract Refract Surg 28(8): 1355-1363, 2002

[6] Funatsu H, Yamashita H, Noma H, Mochizuki H, Mimura T, Ikeda T, Hori S:
Outcome of Vitreous Surgery and Balance between Vascular Endothelial Growth Factor and Endostatin.
Invest Ophthalmol Vis Sci 44(3): 1042-1047, 2003

[7] Mimura T, Funatsu H, Uchigata Y, Kitano S, Noma H, Shimizu E, Konno Y, Amano S, Araie M, Yoshino O, Iwamoto Y, Hori S：
Relationship Between Human Leukocyte Antigen Status and Proliferative Diabetic Retinopathy in Patients with younger-Onset Type 1 Diabetes Mellitus.
Am J Ophthalmol 135(6): 844-848, 2003

[8] Mimura T, Funatsu H, Uchigata Y, Kitano S, Shimizu E, Noma H, Amano S, Araie M, Iwamoto Y, Hori S:
Development and progression of diabetic retinopathy in patients with Type 1 diabetes who are positive for GAD autoantibody.
Diabet Med 21(6): 559-562, 2004

[9] Funatsu H, Yamashita H, Noma H, Mimura T, Sakata K, Hori S:
Risk evaluation of outcome of vitreous surgery for proliferative diabetic retinopathy based on vitreous level of vascular endothelial growth factor and angiotensin II.
Br J Ophthalmol 88(8): 1064-1068, 2004

[10] Yokoyama T, Kato T, Minamoto A, Sugihara A, Imada M, Kuwabara R, Mizote H, Yamane K, Jian K, Tamura H, Noma H, Mishima HK:
Characteristics and surgical outcomes of paediatric retinal detachment.
Eye (Lond) 18(9): 889-892, 2004

[11] Funatsu H, Yamashita H, Noma H, Mimura T, Nakamura S, Sakata K, Hori S:
Aqueous humor levels of cytokines are related to vitreous levels and progression of diabetic retinopathy in diabetic patients.
Graefes Arch Clin Exp Ophthalmol 243(1): 3-8, 2005

[12] Noma H, Funatsu H, Yamasaki M, Tsukamoto H, Mimura T, Sone T, Jian K, Sakamoto I, Nakano K, Yamashita H, Minamoto A, Mishima HK:
The Pathogenesis of Macular Edema with Branch Retinal Vein Occlusion and Intraocular Levels of Vascular Endothelial Growth Factor and Interleukin-6.
Am J Ophthalmol 140(2): 256-261, 2005

[13] Tsukamoto H, Noma H, Matuyama S, Ikeda H, Mishima HK:
The efficacy and saftey of topical brinzolamide and dorzolamide when added to the combination therapy of latanoprost and a beta-blocker in patients with glaucoma.
J Ocul Pharmacol Ther 21(2): 170-173, 2005

[14] Tsukamoto H, Noma H, Mukai S, Ikeda H, Mishima HK:
The efficacy and ocular discomfort of substituting brinzolamide for dorzolamide in combination therapy with latanoprost, timolol, and dorzolamide.
J Ocul Pharmacol Ther 21(2): 395-399, 2005

[15] Uka J, Minamoto A, Shimizu R, Yamane K, Yokoyama T, Okumichi H, Suzuki M, Noma H, Mishima HK:
A five-year review of patients admitted with the diagnosis of bacterial endophthalmitis.
Hiroshima J Med Sci 54(2): 47-51, 2005

[16] Funatsu H, Yamashita H, Sakata K, Noma H, Mimura T, Suzuki M, Eguchi S, Hori S:
Vitreous Levels of Vascular Endothelial Growth Factor and Intercellular Adhesion Molecule-1 are Related to Diabetic Macular Edema.
Ophthalmology 112(5): 806-816, 2005

[17] Mimura T, Funatsu H, Uchigata Y, Kitano S, Shimizu E, Amano S, Yamagami S, Noma H, Araie M, Hori S:
Glutamic acid decarboxylase autoantibody prevalence and association with HLA genotype in patients with younger-onset type 1 diabetes and proliferative diabetic retinopathy.
Ophthalmology 112(11): 1904-1909, 2005

[18] Funatsu H, Sakata K, Harino S, Okuzawa Y, Noma H, Hori S:
Tracing method in the assessment of retinal capillary blood flow velocity by fluorescein angiography with scanning laser ophthalmoscope.
Jpn J Ophthalmol 50(1): 25-32, 2006

[19] Funatsu H, Yamashita H, Nakamura S, Mimura T, Eguchi S, Noma H, Hori S:
Vitreous levels of pigment epithelium-derived factor and vascular endothelial growth factor are related to diabetic macular edema.
Ophthalmology 113(2): 294-301, 2006

[20] Noma H, Minamoto A, Funatsu H, Tsukamoto H, Nakano K, Yamashita H, Mishima HK:
Intravitreal Levels of Vascular Endothelial Growth Factor and Interleukin-6 are Correlated with Macular Edema in Branch Retinal Vein Occlusion.
Graefes Arch Clin Exp Ophthalmol 244(3): 309-315, 2006

[21] Sakata K, Funatsu H, Harino S, Noma H, Hori S:
Relationship Between Macular Microcirculation and Progression of Diabetic Macular Edema.
Ophthalmology 113(8): 1385-1391, 2006

[22] Funatsu H, Yamashita H, Mimura T, Noma H, Nakamura S, Hori S:
Risk evaluation of outcome of vitreous surgery based on vitreous levels of cytokines.
Eye (Lond) 21(3): 377-382, 2007

[23] Sakata K, Funatsu H, Harino S, Noma H, Hori S:
Relationship of Macular Microcirculation and Retinal Thickness with Visual Acuity in Diabetic Macular Edema.
Ophthalmology 114(11): 2061-2069, 2007

[24] Noma H, Funatsu H, Yamasaki M, Tsukamoto H, Mimura T, Sone T, Hirayama T, Tamura H, Yamashita H, Minamoto A, Mishima HK:
Aqueous humour levels of cytokines are correlated to vitreous levels and severity of macular oedema in branch retinal vein occlusion.
Eye (Lond) 22(1): 42-48, 2008

[25] Funatsu H, Noma H, Mimura T, Eguchi S, Hori S:
Association of vitreous inflammatory factors with diabetic macular edema.
Ophthalmology 116(1): 73-79, 2009

[26] Noma H, Funatsu H, Mimura T, Harino S, Hori S:
Vitreous Levels of Interleukin-6 and Vascular Endothelial Growth Factor in Macular Edema With Central Retinal Vein Occlusion.
Ophthalmology 116(1): 87-93, 2009

[27] Mimura T, Mimura Y, Arimoto A, Amano S, Yamagami S, Funatsu H, Usui T, Noma H, Honda N, Okamoto S:
Relationship between refraction and allergic conjunctivitis.
Eye (Lond) 23(1): 63-66, 2009

[28] Mimura T, Yamagami S, Usui T, Funatsu H, Mimura Y, Noma H, Honda N, Amano S:
Changes of Conjunctivochalasis With Age in a Hospital-Based Study.
Am J Ophthalmol 147(1): 171-177, 2009

[29] Mimura T, Usui T, Yamamoto H, Yamagami S, Funatsu H, Noma H, Honda N, Fukuoka S, Amano S:
Conjunctivochalasis and contact lenses.
Am J Ophthalmol 148(1): 20-25, 2009

[30] Yamasaki M, Noma H, Funatsu H, Minamoto A, Mimura T, Shimada K, Yamashita H, Kiuchi Y:
Changes in foveal thickness after vitrectomy for macular edema with branch retinal vein occlusion and intravitreal vascular endothelial growth factor.
Int Ophthalmol 29(3): 161-167, 2009

[31] Noma H, Funatsu H, Sakata K, Harino S, Nagaoka T, Mimura T, Sone T, Hori S:
Macular Microcirculation and Macular Oedema in Branch Retinal Vein Occlusion.
Br J Ophthalmol 93(5): 630-633, 2009

[32] Funatsu H, Shimizu E, Noma H, Mimura T, Hori S:
Association between serum lipoprotein (a) level and progression of non-proliferative diabetic retinopathy in type 2 diabetes.
Acta Ophthalmol 87(5): 501-505, 2009

[33] Noma H, Funatsu H, Sakata K, Harino S, Mimura T, Hori S:
Macular Microcirculation in Hypertensive Patients With and Without Branch Retinal Vein Occlusion.
Acta Ophthalmol 87(6): 638-642, 2009

[34] Mimura T, Yamagami S, Usui T, Funatsu H, Mimura Y, Noma H, Honda N, Amano S:
Relationship Between Myopia and Allergen-specific Serum IgE Levels in Patients With Allergic Conjunctivitis.
Clin Exp Ophthalmol 37(7): 670-677, 2009

[35] Mimura T, Usui T, Yamagami S, Funatsu H, Noma H, Honda N, Fukuoka S, Shirakawa R, Hotta H, Amano S:
Subconjunctival Hemorrhage and Conjunctivochalasis.
Ophthalmology 116(10): 1880-1886, 2009

[36] Noma H, Funatsu H, Mimura T, Harino S, Hori S. Aqueou:
Humor Levels of Vasoactive Molecules Correlate With Vitreous Levels and Macular Edema in Central Retinal Vein Occlusion.
Eur J Ophthalmol 20(2): 402-409, 2010

[37] Mimura T, Yamagami S, Usui T, Funatsu H, Noma H, Honda N, Fukuoka S, Hotta H, Amano S:
Location and extent of subconjunctival hemorrhage.
Ophthalmologica 224(2): 90-95, 2010

[38] Mimura T, Usui T, Yamagami S, Funatsu H, Mimura Y, Noma H, Honda N, Amano S:
Recent causes of subconjunctival hemorrhage.
Ophthalmologica 224(3): 133-137, 2010

[39] Mimura T, Yamagami S, Mori M, Funatsu H, Usui T, Noma H, Amano S:

Contact Lens-Induced Subconjunctival Hemorrhage.
Am J Ophthalmol 150(5): 656-665, 2010

[40] Noma H, Funatsu H, Harino S, Nagaoka T, Mimura T, Hori S:
Influence of Macular Microcirculation and Retinal Thickness on Visual Acuity in Patients With Branch Retinal Vein Occlusion and Macular Edema.
Jpn J Ophthalmol 54(5): 430-434, 2010

[41] Noma H, Funatsu H, Mimura T, Shimada K:
Visual acuity and foveal thickness after vitrectomy for macular edema.
Ophthalmologica 224(6): 367-373, 2010

[42] Noma H, Funatsu H, Mimura T, Harino S, Sone T, Hori S:
Increase of Vascular Endothelial Growth Factor and Interleukin-6 in the Aqueous Humour of Patients With Macular Oedema and Central Retinal Vein Occlusion.
Acta Ophthalmol 88(6): 646-651, 2010

[43] Noma H, Funatsu H, Mimura T, Shimada K:
Increase of Aqueous Inflammatory Factors in Macular Edema With Branch Retinal Vein Occlusion: A case control study.
J Inflamm (Lond) 7:44, 2010

[44] Noma H, Funatsu H, Mimura T, Eguchi S, Shimada K:
Visual acuity and foveal thickness after vitrectomy for macular edema associated with branch retinal vein occlusion: a case series.
BMC Ophthalmol 10: 11, 2010

[45] Mimura T, Usui T, Mori M, Aixinjueluo W, Funatsu H, Noma H, Amano S:
Immunochromatographic assay for measurement of total IgE in tears, nasal mucus, and saliva of patients with allergic rhinoconjunctivitis.
J Asthma 47(10): 1153-1160, 2010

[46] Noma H, Funatsu H, Mimura T, Harino S, Eguchi S, Hori S:
Pigment Epithelium–Derived Factor and Vascular Endothelial Growth Factor in Branch Retinal Vein Occlusion With Macular Edema.
Graefes Arch Clin Exp Ophthalmol 248(11): 1559-1565, 2010

[47] Mimura T, Usui T, Mori M, Yamamoto H, Obata H, Yamagami S, Funatsu H, Noma H, Honda N, Amano S:
Pinguecula and contact lenses.
Eye (Lond) 24(11): 1685-1691, 2010

[48] Mimura T, Usui T, Obata H, Yamagami S, Mori M, Funatsu H, Noma H, Dou K, Amano S:
Severity and determinants of pinguecula in a hospital-based population.
Eye Contact Lens 37(1): 31-35, 2011

[49] Noma H, Funatsu H, Harino S, Sugawara T, Mimura T, Shimada K:
Association of Electroretinogram and Morphological Findings in Branch Retinal Vein Occlusion With Macular Edema.
Doc Ophthalmol 123(2):83-91, 2011

[50] Mimura T, Usui T, Yamagami S, Funatsu H, Noma H, Toyono T, Mori M, Amano S:
Relationship Between Conjunctivochalasis and Refractive Error.
Eye Contact Lens 37(2): 71-78, 2011

[51] Noma H, Funatsu H, Harino S, Mimura T, Eguchi S, Hori S:
Vitreous Inflammatory Factors in Macular Edema With Central Retinal Vein Occlusion.
Jpn J Ophthalmol 55(3): 248-255, 2011

[52] Noma H, Funatsu H, Mimura T, Eguchi S, Shimada K, Hori S:
Vitreous Levels of Pigment Epithelium-Derived Factor and Vascular Endothelial Growth Factor in Macular Oedema With Central Retinal Vein Occlusion.
Curr Eye Res 36(3): 256-263, 2011

[53] Noma H, Funatsu H, Mimura T, Eguchi S, Hori S:
Soluble Vascular Endothelial Growth Factor Receptor-2 and Inflammatory Factors in Macular Edema With Branch Retinal Vein Occlusion.
Am J Ophthalmol 152(4):669-677, 2011

[54] Mimura T, Usui T, Mori M, Funatsu H, Noma H, Amano S:
Specific Tear IgE in Patients with Moderate-to-Severe Autumnal Allergic Conjunctivitis.
Int Arch Allergy Immunol 156(4): 381-386, 2011

[55] Noma H, Funatsu H, Mimura T, Eguchi S, Shimada K:
Influence of Vitreous Factors After Vitrectomy for Macular Edema in Patients With Central Retinal Vein Occlusion.
Int Ophthalmol 31(5):393-402, 2011

[56] Mimura T, Usui T, Mori M, Funatsu H, Noma H, Amano S:
Rapid immunochromatographic measurement of specific tear IgE in moderate to severe cases of allergic conjunctivitis with immfast check J1 in the spring.
Cornea 30(5): 524-527, 2011

[57] Noma H, Funatsu H, Mimura T, Eguchi S, Shimada K:
Role of Soluble Vascular Endothelial Growth Factor Receptor-2 in Macular Oedema With Central Retinal Vein Occlusion.
Br J Ophthalmol 95(6): 788-792, 2011

[58] Mimura T, Usui T, Mori M, Funatsu H, Noma H, Yamamoto H, Aixinjueluo W, Amano S:
Relation between total tear IgE and specific serum IgE in seasonal allergic conjunctivitis.
Cornea 30(7): 790-795, 2011

[59] Noma H, Funatsu H, Mimura T, Eguchi S:
Vitreous Inflammatory Factors and Serous Retinal Detachment in Central Retinal Vein Occlusion: A case control series.
J Inflamm (Lond) 8:38, 2011

[60] Noma H, Funatsu H, Mimura T, Shimada K:
Visual function and Serous Retinal Detachment in Patients With Branch Retinal Vein Occlusion and Macular Edema: a case series.
BMC Ophthalmol 11:29, 2011

[61] Noma H, Funatsu H, Mimura T, Eguchi S, Shimada K:
Visual Prognosis and Vitreous Inflammatory Factors After Vitrectomy for Macular Edema With Branch Retinal Vein Occlusion.
Clin Ophthalmol 5: 223-229, 2011

[62] Noma H, Funatsu H, Mimura T, Shimada K:
Influence of Ischemia for Visual Function in Patients With Branch Retinal Vein Occlusion and Macular Edema.
Clin Ophthalmol 5: 679-685, 2011

[63] Noma H, Funatsu H, Mimura T, Harino S, Shimada K:
Functional-Morphological Correlates in Patients With Branch Retinal Vein Occlusion and Macular Edema.
Retina 31(10):2102-2108, 2011

[64] Noma H, Funatsu H, Mimura T:
Vascular Endothelial Growth Factor and Interleukin-6 are Correlated With Serous Retinal Detachment in Central Retinal Vein Occlusion.
Curr Eye Res 37(1):62-67, 2012

[65] Noma H, Funatsu H, Mimura T, Tatsugawa M, Shimada K, Eguchi S:
Vitreous Inflammatory Factors and Serous Macular Detachment in Branch Retinal Vein Occlusion.
Retina 32(1):86-91, 2012

[66] Noma H, Funatsu H, Mimura T, Eguchi S, Shimada K:
Inflammatory Factors in Major and Macular Branch Retinal Vein Occlusion.
Ophthalmologica 227(3):146-152, 2012

[67] Noma H, Funatsu H, Mimura T, Shimada K:
Functional-Morphological Changes After Intravitreal Injection of Triamcinolone Acetonide For Macular Edema With Branch Retinal Vein Occlusion.
J Ocul Pharmacol Ther 28(3):231-236, 2012

[68] Mimura T, Obata H, Usui T, Mori M, Yamagami S, Funatsu H, Noma H, Amano S:
Pinguecula and diabetes mellitus.
Cornea 31(3):264-268, 2012

[69] Yagi T, Sakata K, Funatsu H, Noma H, Yamamoto K, Hori S:
Macular microcirculation in patients with epiretinal membrane before and after surgery.
Graefes Arch Clin Exp Ophthalmol 250(6):931-934, 2012

[70] Mimura T, Mori M, Obata H, Usui T, Yamagami S, Funatsu H, Noma H, Amano S:
Conjunctivochalasis: associations with pinguecula in a hospital-based study.
Acta Ophthalmol 90(8):773-782, 2012

[71] Noma H, Funatsu H, Mimura T, Shimada K:

Macular Sensitivity and Morphology After Intravitreal Injection of Triamcinolone Acetonide For Macular Edema With Branch Retinal Vein Occlusion.
Retina 32(9):1844-1852, 2012

[72] Noma H, Shimada K.Mimura T:
Foveal sensitivity and morphology in major and macular branch retinal vein occlusion.
Open Ophthalmol J 6:104-109, 2012

[73] Noma H, Funatsu H, Mimura T, Shimada K:
Comparison of the Efficacy of Intravitreal Triamcinolone Acetonide for Cystoid Macular Edema With Versus Without Serous Retinal Detachment in Branch Retinal Vein Occlusion: Influence on macular sensitivity and morphology.
BMC Ophthalmol 12:39, 2012

[74] Noma H, Funatsu H, Mimura T:
Association of Electroretinographic Parameters and Inflammatory Factors in Branch Retinal Vein Occlusion With Macular Oedema.
Br J Ophthalmol 96(12):1489-1493, 2012

[75] Noma H, Mimura T, Shimada K:
Retinal Function and Morphology in Central Retinal Vein Occlusion With Macular Oedema.
Curr Eye Res 38(1):143-149, 2013

[76] Noma H, Mimura T, Eguchi S:
Association of inflammatory factors with macular edema in branch retinal vein occlusion.
JAMA Ophthalmol 131(2):160-165, 2013

[77] Noma H, Funatsu H, Shimada K, Mimura T:
Influence of pars plana vitrectomy on macular sensitivity and morphology in patients with branch retinal vein occlusion and serous retinal detachment.
Ophthalmic Surg Lasers Imaging Retina 44(2):160-167, 2013

[78] Noma H, Shimada K, Mimura T:
Visual function after pars plana vitrectomy in macular edema with branch retinal vein occlusion.
Int Ophthalmol 33(3):227-236, 2013

[79] Noma H, Shimada K, Mimura T:
Influence of retinal ischemia on macular function after pars plana vitrectomy for macular edema with branch retinal vein occlusion.
Int Ophthalmol 33(6):677-686, 2013

[80] Noma H, Mimura T, Shimada K:
Changes of macular sensitivity and morphology after pars plana vitrectomy for macular edema with central retinal vein occlusion: a case series.
BMC Ophthalmol 13:2, 2013

[81] Noma H, Mimura T, Tatsugawa M, Shimada K:
Aqueous Flare and Inflammatory Factors in Macular Edema With Central Retinal Vein Occlusion: a case series.
BMC Ophthalmol 13:78, 2013

[82] Noma H, Mimura T, Yasuda K, Shimura M:
Vascular Endothelial Growth Factor and its Soluble Receptors-1 and -2 in Iris Neovascularization and Neovascular Glaucoma.
Ophthalmologica 232(2):102-109, 2014

[83] Noma H, Mimura T, Yasuda K, Shimura M:
Role of Inflammation in Diabetic Macular Edema.
Ophthalmologica 232(3):127-135, 2014

[84] Noma H, Mimura T, Masahara H, Shimada K:
Pentraxin 3 and other inflammatory factors in central retinal vein occlusion and macular edema.
Retina 34(2):352-359, 2014

[85] Noma H, Mimura T, Yasuda K, Shimura M:
Role of Soluble Vascular Endothelial Growth Factor Receptors-1 and -2, Their Ligand, and Other Factors in Branch Retinal Vein Occlusion With Macular Edema.
Invest Ophthalmol Vis Sci 55(6):3878-3885, 2014

[86] Noma H, Mimura T, Shimada K:
Role of Inflammation in Previously Untreated Macular Edema With Branch Retinal Vein Occlusion.
BMC Ophthalmol 14:67, 2014

[87] Yokosako K, Mimura T, Funatsu H, Noma H, Goto M, Kamei Y, Kondo A, Matsubara M:
Glycolysis in patients with age-related macular degeneration.
Open Ophthalmol J 8:39-47, 2014

[88] Noma H, Mimura T, Kuse M, Shimada K:
Association of Electroretinogram and Morphological Findings in Central Retinal Vein Occlusion With Macular Edema.
Clin Ophthalmol 8:191-197, 2014

[89] Mimura T, Yamagami S, Fujishima H, Noma H, Kamei Y, Goto M, Kondo A, Matsubara M:
Sensitization to asian dust and allergic rhinoconjunctivitis.
Environ Res 132:220-225, 2014

[90] Noma H, Mimura T, Kuse M, Yasuda K, Shimura M:
Photopic Negative Response in Branch Retinal Vein Occlusion With Macular Edema.
Int Ophthalmol 35(1):19-26, 2015

[91] Mimura T, Yamagami S, Noma H, Kamei Y, Goto M, Kondo A, Matsubara M:
Specific IgE for wheat in tear fluid of patients with allergic conjunctivitis.
Cutan Ocul Toxicol 34(1):25-34, 2015

[92] Noma H, Mimura T, Yasuda K, Shimura M:
Role of soluble vascular endothelial growth factor receptor signaling and other factors or cytokines in central retinal vein occlusion with macular edema.
Invest Ophthalmol Vis Sci 56(2):1122-1128, 2015

[93] Miyama A, Mimura T, Noma H, Goto M, Kamei Y, Kondo A, Saito Y, Okuma H, Matsubara M:
Specific IgG for cat allergens in patients with allergic conjunctivitis.
Int Ophthalmol 35(4):575-586, 2015

[94] Noma H, Mimura T, Yasuda K, Nakagawa H, Motohashi R, Kotake O, Shimura M:
Intravitreal Ranibizumab and Aqueous Humor Factors/Cytokines in Major and Macular Branch Retinal Vein Occlusion.
Ophthalmologica 235(4):203-207, 2016

[95] Noma H, Mimura T, Yasuda K, Nakagawa H, Motohashi R, Kotake O, Shimura M:
Cytokines and Recurrence of Macular Edema after Intravitreal Ranibizumab in Patients with Branch Retinal Vein Occlusion.
Ophthalmologica 236(4):228-234, 2016

[96] Noma H, Mimura T, Yasuda K, Shimura M:
Cytokine Kinetics After Monthly Intravitreal Bevacizumab for Retinal Vein Occlusion Associated With Macular Oedema.
Ophthalmic Res 56(4):207-214, 2016

[97] Shimura M, Yasuda K, Minezaki, Noma H:
Reduction in the frequency of intravitreal bevacizumab administrations achieved by posterior subtenon injection of triamcinolone acetonide in patients with diffuse diabetic macular edema.
Jpn J Ophthalmol 60(5):401-7, 2016

[98] Noma H, Yasuda K, Minezaki T, Watarai S, Shimura M:
Changes of Retinal flow volume After Intravitreal Injection of Bevacizumab in Branch Retinal Vein Occlusion With Macular Edema: a case series.
BMC Ophthalmol 16:61, 2016

[99] Noma H, Mimura T, Yasuda K, Shimura M:
Possible Molecular Basis of Bevacizumab Therapy for Macular Edema in Branch Retinal Vein Occlusion.
Retina 36(9):1718-1725, 2016

[100] Yasuda K, Motohashi R, Kotake O, Nakagawa H, Noma H, Shimura M:
Comparative Effects of Topical Diclofenac and Betamethasone on Inflammation After Vitrectomy and Cataract Surgery in Various Vitreoretinal Diseases.
J Ocul Pharmacol Ther 32(10):677-684, 2016

[101] Noma H, Mimura T, Yasuda K, Motohashi R, Kotake O, Shimura M:
Aqueous Humor Levels of Soluble Vascular Endothelial Growth Factor Receptor and Inflammatory Factors in Diabetic Macular Edema.
Ophthalmologica 238(1-2):81-88, 2017

[102] Noma H, Mimura T, Yasuda K, Shimura M:
Functional-Morphologic Parameters, Aqueous Flare, and Cytokines in Macular Edema With Branch Retinal Vein

Occlusion After Ranibizumab.
Br J Ophthalmol 101(2):180-185, 2017

[103] Mimura T, Iida M, Oshima R, Noma H, Kamei Y, Goto M, Kondo A, Matsubara M:
Changes of Conjunctivochalasis after cataract surgery via a superior transconjunctival sclerocorneal incision.
Int Ophthalmol 37(3):691-700, 2017

[104] Shimura M, Yasuda K, Motohashi R, Kotake O, Noma H:
Aqueous cytokine and growth factor levels indicate response to ranibizumab for diabetic macular oedema.
Br J Ophthalmol 101(11):1518-1523, 2017

[105] Motohashi R, Noma H, Yasuda K, Kotake O, Goto H, Shimura M:
Dynamics of Inflammatory Factors in Aqueous Humour During Ranibizumab or Aflibercept Treatment for Age-Related Macular Degeneration.
Ophthalmic Research 58(4):209-216, 2017

[106] Kotake O, Noma H, Yasuda K, Motohashi R, Goto H, Shimura M:
Comparing Cytokine Kinetics between Ranibizumab and Aflibercept in Central Retinal Vein Occlusion with Macular Edema.
Ophthalmic Research 25:1-8, 2018

[107] Motohashi R, Noma H, Yasuda K, Kotake O, Goto H, Shimura M:
Dynamics of soluble vascular endothelial growth factor receptors and their ligands in aqueous humour during ranibizumab for age-related macular degeneration.
J Inflamm (Lond) 15:26, 2018

[108] Mimura T, Funatsu H, Noma H, Shimura M, Kamei Y, Yoshida M, Kondo A, Watanabe E, Mizota A:
Aqueous Humor Levels of Cytokines in Patients with Age-Related Macular Degeneration.
Ophthalmologica 241(2):81-89, 2019

[109] Sugimoto M, Tsukitome H, Okamoto F, Oshika T, Ueda T, Niki M, Mitamura Y, Ishikawa H, Gomi F, Kitano S, Noma H, Shimura M, Sonoda S, Sawada O, Ohji M, Harimoto K, Takeuchi M, Takamura Y, Kondo M, Sakamoto T: Clinical preferences and trends of anti-vascular endothelial growth factor treatments for diabetic macular edema in Japan.
J Diabetes Investig 10(2):475-483, 2019

[110] Mashima A, Noma H, Yasuda K, Goto H, Shimura M:

Anti-vascular endothelial growth factor agent reduces inflammation in macular edema with central retinal vein occlusion.

J Inflamm (Lond) 16:9, 2019

[111] Matsushima R, Noma H, Yasuda K, Goto H, Shimura M:

Role of Cytokines in Ranibizumab Therapy for Macular Edema in Patients with Central Retinal Vein Occlusion.

J Ocul Pharmacol Ther 35(7):407-412, 2019

[112] Chauhan R, Balgemann R, Greb C, Nunn BM, Ueda S, Noma H, McDonald K, Kaplan HJ, Tamiya S, O'Toole MG:

Production of dasatinib encapsulated spray-dried poly (lactic-co-glycolic acid) particles

J Drug Deliv Sci Technol 53, 101204, 2019

[113] Mimura T, Noma H, Mizota A:

Specific dog allergen immunoglobulin G antibodies in patients with allergic conjunctivitis.

Open Ophthalmology Journal 13:76-85, 2019.

[114] Noma H, Yasuda K, Mimura T, Ofusa A, Shimura M:

Relationship between retinal blood flow and cytokines in central retinal vein occlusion.

BMC Ophthalmol. 20:215, 2020

[115] Mizui T, Noma H, Yasuda K, Kanemaki T, Goto H, Shimura M:

Intravitreal ranibizumab reduced ocular blood flow and aqueous cytokine levels and improved retinal morphology in patients with diabetic macular edema.

Sci rep 10(1):21713, 2020

[116] Noma H, Yasuda K, Mimura T, Suganuma N, Shimura M:

Retinal Microcirculation and Cytokines as Predictors for Recurrence of Macular Edema after Intravitreal Ranibizumab Injection in Branch Retinal Vein Occlusion.

J Clin Med 10(1):58, 2020

[117] Imazeki M, Noma H, Yasuda K, Motohashi R, Goto H, Shimura M:

Anti-VEGF Therapy Reduces Inflammation in Diabetic Macular Edema.

Ophthalmic Res 64(1):43-49, 2021

[118] Noma H, Yasuda K, Shimura M:
Change of Cytokines After Intravitreal Ranibizumab in Patients with Recurrent Branch Retinal Vein Occlusion and Macular Edema.
Eur J Ophthalmol 31(1):204-210, 2021

[119] Mimura T, Noma H, Matsumoto K, Kawashima M, Kitsu K, Itoh E, Horikawa H, Mizuno Y, Watanabe E, Mizota A:
Concentration of droplets from patients during normal breathing and speech and their importance in protection from coronavirus SARS-CoV-2 (Covid-19) infection.
Open Ophthalmology Journal 15:103-107, 2021.

[120] Utsumi T, Noma H, Yasuda K, Goto H, Shimura M:
Effects of Ranibizumab on Growth Factors and Mediators of Inflammation in the Aqueous Humor of Patients With Diabetic Macular Edema.
Graefes Arch Clin Exp Ophthalmol 259(9):2597-2603, 2021.

[121] Mimura T, Funatsu H, Noma H, Kondo A, Mizota A:
Silent Information Regulator T1 in Aqueous Humor of Patients with Age-related Macular Degeneration.
Open Ophthalmology Journal 15:187-195, 2021.

[122] Motohashi R, Noma H, Yasuda K, Kasezawa Y, Goto H, Shimura M:
Aqueous Flare, Functional-Morphological Parameters, and Cytokines in Age-Related Macular Degeneration after Anti-VEGF Treatment.
Open Ophthalmology Journal 15:209-216, 2021.

[123] Yokota H, Nagaoka T, Noma H, Ofusa A, Kanemaki T, Aso H, Hanazaki H, Yamagami S, Shimura M:
Role of ICAM-1 in impaired retinal circulation in rhegmatogenous retinal detachment.
Sci rep 11(1):15393, 2021.

[124] Takano Y, Noma H, Yasuda K, Yamaguchi T, Goto H, Shimura M:
Retinal Blood Flow as a Predictor of Recurrence of Macular Edema After Intravitreal Ranibizumab Injection in Central Retinal Vein Occlusion.
Ophthalmic Res 64(6):1013-1019, 2021

[125] Kondo M, Noma H, Shimura M, Sugimoto M, Matsui Y, Kato K, Saishin Y, Ohji M, Ishikawa H, Gomi F, Iwata K, Yoshida S, Kusuhara S, Hirai H, Ogata N, Hirano T, Murata T, Tsuboi K, Kamei M, Kinoshita T, Kuwayama S, Hirano Y, Ohta M, Kimura K, Takayama K, Takeuchi M, Takamura Y, Okamoto F, Mitamura Y, Terasaki H, Sakamoto T:
Background Factors Affecting Visual Acuity at Initial Visit in Eyes with Central Retinal Vein Occlusion: ulticenter Study in Japan.
J Clin Med 10(23):5619, 2021.

[126] Takamura Y, Kida T, Noma H, Inoue M, Yoshida S, Nagaoka T, Noda K, Yamada Y, Morioka M, Gozawa M, Matsumura T, Inatani M:
The impact of interval between recurrence and reinjection in anti-VEGF therapy for diabetic macular edema in pro re nata regimen.
J Clin Med 10(24):5738, 2021.

[127] Noma H, Yasuda K, Mimura T, Shimura M:
Relationship between Choroidal Findings and Growth Factors, Cytokines, and Other Inflammatory Mediators After Intravitreal Ranibizumab Injection in Patients with Macular Edema Secondary to Branch Retinal Vein Occlusion.
RETINA 42(4):744-751, 2022

[128] Nozaki M, Wong IY, Kawasaki R, Lee JE, Takamura Y, Lee JE, Yoshida S, Shin JP, Kida T, Chang W, Tsuiki E, Noma H, Suzuma K:
Anti-VEGF monotherapy versus combined anti-VEGF and endpoint management laser photocoagulation for diabetic macular edema (The END-DME study).
Journal of Retina 7(2): 65-74, 2022.

[129] Mimura T, Noma H, Inoue Y, Kawashima M, Kitsu K, Mizota A:
Early Postoperative Effect of Ripasudil Hydrochloride After Trabeculectomy on Secondary Glaucoma: A Randomized Controlled Trial.
The Open Ophthalmology Journal 16: e187436412206201, 2022.

[130] Otawa T, Noma H, Yasuda K, Narimatsu A, Asakage M, Tanaka A, Goto H, Shimura M:
Intravitreal Ranibizumab Improves Macular Sensitivity in Patients With Central Retinal Vein Occlusion and Macula Edema. BMC Ophthalmol 22(1):247, 2022

[131] Niidome E, Noma H, Yasuda K, Yanagida K, Narimatsu A, Asakage M, Watarai S, Goto H, Shimura M:
Macular Sensitivity after Intravitreal Ranibizumab Injection for Macular Edema in Central Retinal Vein Occlusion:

One Versus Three Initial Monthly Injections.
Journal of vascular diseases *1*(1), 43-52, 2022.

[132] Komori R, Takamura Y, Yamada Y, Morioka M, Matsubara H, Hirano T, Mitamura Y, Shimizu M, Kusuhara S, Murakami T, Nihei R, Ueda T, Kunikata H, Jujo T, Terasaki H, Nagasato D, Noda K, Osaka R, Nagai K, Yoshida S, Nozaki M, Noma H, Ishigooka G, Takahashi A, Sawada O, Kimura K, Inatani M:
Impact of the COVID-19 pandemic on anti-vascular endothelial growth factor therapy for diabetic macular edema in Japan
J Clin Med 11(22):6794, 2022.

[133] Noma H, Yasuda K, Narimatsu A, Asakage M, Shimura M:
New Individualized Aflibercept Treatment Protocol for Branch Retinal Vein Occlusion With Macular Edema.
Sci rep 13(1):1536, 2023.

[134] Yasuda K, Noma H, Mimura T, Nonaka R, Sasaki S, Suganuma N, Shimura M:
Effects of Intravitreal Ranibizumab Injection on Peripheral Retinal Microcirculation and Cytokines in Branch Retinal Vein Occlusion With Macular Edema.
Medicina 59(6):1053, 2023.

[135] Yasuda K, Noma H, Oyama E, Yanagida K, Asakage M, Shimura M:
Effects of Intravitreal Ranibizumab Injection to Treat Macular Edema due to Central Retinal Vein Occlusion on Choroidal Findings and Functional-Morphological Parameters.
Ophthalmic Res 66(1):1063-1070, 2023.

[136] Ito M, Mimura T, Noma H, Inoue Y, Kawashima M, Mizuno Y, Watanabe E, Mizota A:
Volatile Organic Compounds in Patients'Breath during Conversation.
The Open Ophthalmology Journal, 17: e187436412301311, 2023.

[137] Noma H, Yasuda K, Nonaka R, Sasaki S, Shimura M:
Anti-Vascular Endothelial Growth Factor Therapy with or Without Initial Steroid Therapy for Macular Edema in Branch Retinal Vein Occlusion.
Clin Ophthalmol 17:2267-2275, 2023.

[138] Yasuda K, Noma H, Mimura T, Nonaka R, Sasaki S, Ofusa A, Shimura M:
Role of Novel Inflammatory Factors in Central Retinal Vein Occlusion with Macular Edema.
Medicina 60(1):4, 2023.

[139] Misu N, Mimura T, Noma H, Shinbo K:

Patient Satisfaction and Tear Film Break-Up Time After First-Time Wearing of Silicone Hydrogel Contact Lenses.

Cureus 16(1): e52516, 2024.

[140] Mimura T, Noma H, Yamaguchi M, Shinbo K:

Comparison of Comfort and Tear Stability with Two Novel Silicone-Hydrogel Daily Disposable Contact Lenses.

Int Ophthalmology 44(1):136, 2024.

[141] Mimura T, Noma H, Yamaguchi M, Shinbo K:

Subjective Symptoms of First-Time Wearers of Verofilcon A Silicone Hydrogel One-Day Disposable Contact Lenses: A First Time Use of Verofilcon A (FTVeA) Study.

Cureus 16(6):e62344. 2024.

[142] Nonaka R, Noma H, Yasuda K, Sasaki S, Goto H, Shimura M:

Visual Acuity and Retinal Thickness and Sensitivity after Intravitreal Ranibizumab Injection for Macular Edema in Branch Retinal Vein Occlusion.

J Clin Med 13(9):2490, 2024.

[143] Shimura M, Sasaki S, Nonaka R, Kashiwagi I, Yasuda K, Noma H, Takagi H:

Changes in Aqueous Angiopoietin-1/2 Concentrations During the Induction Phase of Intravitreal Faricimab Injections for Diabetic Macular Edema.

Transl Vis Sci Technol 13(12):35, 2024.

[144] Mimura T, Noma H, Yamaguchi M, Shinbo K:

A Comparison of Subjective Symptoms of Two Types of Silicone Hydrogel One-Day Disposable Contact Lenses.

Cureus 16(10):e71553, 2024.

[145] Asakage M, Noma H, Yasuda K, Goto H, Shimura M:

Dynamics of Inflammatory Factors in Aqueous Humor During Brolucizumab Treatment for Age-Related Macular Degenerations: A Case Series.

Medicina (Kaunas) 61(3):372, 2025.

[146] Mimura T, Noma H:

Potential association of bilateral macular edema with retinal vein occlusion triggered by volatile organic compounds of paint: A case report.
Am J Ophthalmol Case Rep 2025 Feb 18;38:102283. doi: 10.1016/j.ajoc.2025.102283. eCollection 2025

[147] Yanagida K, Miura M, Noma H, Mino T, Azuma S, Seesan T, Makita S, Yasuno Y:
Evaluation of retinal pigment epithelium changes in serous pigment epithelial detachment using synthesized multi-contrast polarization-sensitive optical coherence tomography.
Sci rep 15(1):24304, 2025

[148] Mimura T, Noma H:
Metabolites of traffic-related volatile organic compounds in age-related macular degeneration.
PeeJ 13:e20405, 2025

[149] Mimura T, Noma H:
Regional association between PM2.5 exposure and anti-VEGF treatment demand for age-related macular degeneration: a nationwide ecological study in Japan.
Environ Sci Pollut Res Int 33(4):1416-1429, 2026

[150] Yamamoto T, Noma H, Mimura T, Sasaki S, Otawa T, Yasuda K, Shimura M:
Involvement of Oxidative Stress-Related Inflammatory Mediators in the Pathogenesis and Treatment Response of Macular Edema Secondary to Branch Retinal Vein Occlusion. Antioxidants 15(5):607, 2026

[151] Mimura T, Nishijima Y, Hasegawa D, Yoshida Y, Noma H:
Global Association Between Ambient Air Pollution and Age-Related Macular Degeneration: An Ecological Analysis Across 203 Countries.
Environ Sci Pollut Res Int 33(18):8834-8850, 2026

[152] Mimura T, Nakagomi R, Noma H:
Comparison of the Influence of Two Types of Silicone Hydrogel Daily Disposable Contact Lenses on Clinical Signs of Allergic Conjunctivitis Symptoms.
Clin Optom 18:652435, 2026

[153] Mimura T, Noma H, Hasegawa D, Nishijima Y, Uchio E:
Development and Validation of the Ocular, Nasal, and Systemic Symptom Questionnaire (ONS-SQ) for Comprehensive Assessment of Sick Building Syndrome.
SN Comprehensive Clinical Medicine in press

[154] Mimura T, Nakagomi R, Noma H:

Short-Term Changes in Allergic Conjunctivitis-Related Ocular Signs in First-Time Verofilcon A Wearers.

Clin Optom in press

[155] Mimura T, Noma H:

Long-Term Effects of Ripasudil on Intraocular Pressure Control and Surgical Outcomes Following Trabeculectomy in Uveitic Glaucoma: A Randomized Controlled Trial.

J Ophthalmic Vis Res in press

[156] Mimura T, Noma H, Hasegawa D, Nishijima Y, Uchio E:

Comparison of Ocular Surface Abnormalities and Tear Film Dysfunction Among Patients With Sick Building Syndrome, Allergic Conjunctival Disease, and Healthy Controls.

Current Eye Research in press

研究業績・総説

[1] Mimura T, Noma H, Funatsu H:

Development of Surgical Treatments for Vitreous Disease.

Surgical science 3, 507-513, 2012

[2] Noma H:

Herpetic viral retinitis.

Am J Virology 2: 25-35, 2013

[3] Mimura T, Kaji Y, Noma H, Funatsu H, Okamoto S:

Role of Sirtuin on Ocular Aging.

Exp Eye Res 116:17-26, 2013

[4] Mimura T, Noma H, Funatsu H, Kondo A, Matsubara M:

Retinal neuroprotective effect of Sirtuins.

JSM Ophthalmol 2: 1016, 2014

[5] Mimura T, Noma H, Funatsu H:

Epigenetic regulation of retinal stem cells.

International Journal of Stem Cell Research and Transplantation 103:1-2, 2013

[6] Mimura T, Noma H, Yamagami S:
Visual Accommodation System and Advances in Management of Presbyopia.
Biol Syst 2:107, 2013

[7] Noma H, Yasuda K, Shimura M:
Cytokines and the Pathogenesis of Macular Edema in Branch Retinal Vein Occlusion.
J Ophthalmol 5185128, 2019

[8] Noma H, Yasuda K, Shimura M:
Cytokines and Pathogenesis of Central Retinal Vein Occlusion.
J Clin Med. 9:3457, 2020

[9] Noma H, Yasuda K, Shimura M:
Involvement of Cytokines in the Pathogenesis of Diabetic Macular Edema.
Int J Mol Sci. 22(7):3427, 2021

[10] Mimura T, Noma H:
Oxidative Stress in Diabetic Retinopathy: A Comprehensive Review of Mechanisms, Biomarkers, and Therapeutic Perspectives.
Antioxidants 14(10), 1204, 2025

[11] Mimura T, Noma H:
Title Oxidative Stress in Age-Related Macular Degeneration: From Molecular Mechanisms to Emerging Therapeutic Targets.
Antioxidants 14(10), 1251, 2025

[12] Noma H, Mimura T:
Pathophysiological Roles of Oxidative Stress and the Translational Potential of Antioxidant Therapy in Retinal Vein Occlusion.
Antioxidants 15(3):338, 2026

[13] Noma H, Mimura T:
Interleukin-6 as a therapeutic target in diabetic macular edema: current evidence and future perspectives.
Expert Opin Ther Targets 30(8):839-852, 2026

[14] Mimura T, Noma H:

The Environmental Exposome and Age-Related Macular Degeneration: Oxidative Stress as a Molecular Link. Antioxidants 15(10):1351, 2026

研究業績・症例報告

[1] Mimura T, Usui T, Amano S, Yamagami S, Ono K, Noma H, Funatsu H:

Retinal vasculitis and vitreous hemorrhage associated with mixed connective tissue disease: Retinal vasculitis in MCTD.

Int Ophthalmol 26(4-5): 159-161, 2005

[2] Mimura T, Funatsu H, Usui T, Yamagami S, Noma H, Amano S:

Topical ocular drug delivery to inner ear disease and sinusitis.

South Med J 99(11): 1287-1289, 2006

[3] Tatsugawa M, Noma H, Mimura T, Funatsu H:

Unusual orbital lymphoma undetectable by magnetic resonance imaging: a case report.

J Med Case Rep 3: 104, 2009

[4] Tatsugawa M, Noma H, Mimura T, Funatsu H:

High-dose steroid therapy for idiopathic optic perineuritis: a case series.

J Med Case Rep 4: 404, 2010

[5] Noma H, Mimura T:

Macular Sensitivity and Morphology After Intravitreal Injection of Triamcinolone Acetonide For Macular Edema Secondary to Central Retinal Vein Occlusion: case reports.

Clin Ophthalmol 6:1901-1906, 2012

[6] Noma H, Shimizu H, Mimura T:

Unilateral macular edema with central retinal vein occlusion in systemic lupus erythematosus: a case report.

Clin Ophthalmol 7:865-867, 2013

[7] Nakagawa H, Noma H, Yasuda K, Motohashi R, Kotake O, Shimura M:

Optic neuritis and acute anterior uveitis associated with influenza A infection: a case report.

Int Med Case Rep J 10:1-5, 2017

[8] Mimura T, Noma H, Yamagami S:
Letter to the Editor: Bilateral Subconjunctival Hemorrhage in a 3-Year-Old Girl with Mycoplasma Pneumonia.
Open Ophthalmol J 11:322-325, 2017

[8] Mimura T, Hasegawa D, Nishijima Y, Noma H, Kimoto R, Yamazaki K:
Subconjunctival Eyelash Removal With a 27-Gauge Needle: A Novel Minimally Invasive Technique in Five Cases. Cureus 18(1):e102029, 2026

研究業績・他の形式

[1] Noma H, Sakamoto I, Mochizuki H, Tsukamoto H, Minamoto A, Funatsu H, Yamashita H, Nakamura S, Kiriyama K, Kurihara H, Mishima HK ：
Relationship Between Periodontal Disease and Diabetic Retinopathy.
Diabetes Care 27(2): 615, 2004 (letter, 原著)

[2] Mimura T, Funatsu H, Kitano S, Noma H, Shimizu E, Amano S, Kato S, Araie M, Yoshino O, Hori S:
HLA typing is not preditive of proliferative diabetic retinopathy in patients with younger-onset type 2 diabetes mellitus.
Br J Ophthalmol 88(2): 303-305, 2004 (letter, 原著)

[3] Tsukamoto H, Noma H, Mishima HK:
Correlation Between the Additive Effect of Bunazosin and the Response to Latanoprost on Intraocular Pressure in Patients with Glaucoma Treated with Bunazosin as Adjunctive Therapy to Latanoprost.
Jpn J Ophthalmol 50(1): 65-67, 2006 (letter, 原著)

[4] Noma H, Funatsu H, Mimura T, Hori S:
Changes of vascular endothelial growth factor after vitrectomy for macular edema secondary to retinal vein occlusion.
Eur J Ophthalmol 18(6): 1017-1019, 2008

[5] Noma H, Funatsu H, Sakata K, Mimura T, Hori S:
Macular microcirculation before and after vitrectomy for macular edema with branch retinal vein occlusion.
Graefes Arch Clin Exp Ophthalmol 248(3): 443-445, 2010 (short communication, 症例報告)

[6] Mimura T, Usui T, Mori M, Funatsu H, Noma H, Aixinjueluo W, Yamamoto H, Amano S:
Rapid immunochromatography of total tear IgE in allergic conjunctivitis with allerwatch.

J Investig Allergol Clin Immunol 20(7): 627-628, 2010 (Practitioner's Corner, 症例報告)

[7] Noma H, Funatsu H, Sakata K, Mimura T, Hori S:
Association between macular microcirculation and soluble intercellular adhesion molecule-1 in patients with macular edema and retinal vein occlusion.
Graefes Arch Clin Exp Ophthalmol 248(10): 1515-1518, 2010 (short communication, 原著)

[8] Mimura T, Usui T, Mori M, Funatsu H, Noma H, Yamamoto H, Aixinjueluo W, Amano S:
Relationship between total tear and serum IgE in allergic conjunctivitis.
Int Arch Allergy Immunol 154(4): 349-352, 2011 (short communication, 原著)

[9] Noma H, Funatsu H, Mimura T, Eguchi S:
Vascular Endothelial Growth Factor Receptor-2 in Macular Oedema With Retinal Vein Occlusion.
Ophthalmic Res 48(1):56-58, 2012 (short communication, 原著)

[10] Noma H, Funatsu H, Mimura T, Shimada K:
Perifoveal Microcirculation in Macular Oedema with Retinal Vein Occlusion.
Open Ophthalmol J 6:63-64, 2012 (letter, 原著)

[11] Funatsu H, Noma H, Mimura T, Eguchi S:
Vitreous Inflammatory Factors and Macular Edema.
Br J Ophthalmol 96(2): 302-304, 2012 (education, 原著)

[12] Noma H, Funatsu H, Mimura T:
Pigment Epithelium-Derived Factor is related to Macular Microcirculation in Patients With Macular Edema and Branch Retinal Vein Occlusion.
Int Ophthalmol 32(5):485-489, 2012 (short communication, 原著)

[13] Noma H, Funatsu H, Mimura T:
Changes of inflammatory factors after intravitreal triamcinolone acetonide for macular edema with central retinal vein occlusion.
J Ocul Pharmacol Ther 29(3):363-365, 2013 (short communication, 症例報告)

[14] Noma H, Mimura T:
Aqueous soluble vascular endothelial growth factor receptor-2 in macular oedema with branch retinal vein occlusion.

Curr Eye Res 38(12):1288-1290, 2013 (short communication, 原著)

[15] Mimura T, Noma H, Yamagami S:

Conjunctival sensitization to hydrolyzed wheat protein in facial soap.

J Investig Allergol Clin Immunol 24(2):140-141, 2014 (Practitioner's Corner, 症例報告)

[16] Mimura T, Iida M, Noma H, Kamei Y, Kondo A, Yoshida M, Oguri M, Tanaka Y, Mizota A:

Does Clear Corneal Cataract Surgery Influence Conjunctivochalasis?

J Ophthalmic Vis Res 15(2):270-272, 2020 (letter, 原著)

[17] Shimura M, Utsumi T, Imazeki M, Yasuda K, Noma H:

Efficacy-based aflibercept treatment regimen for central retinal vein occlusion.

Ophthalmol Retina 5(11):1177-1179, 2021 (letter, 原著)

[18] Torii H, Noma H, Miike S:

Omnidirectional illumination light source device: LED ORB light system.

Retina 41(4):886-889, 2021 (short communication, 原著)